

*This listing of claims will replace all prior versions, and listings, of claims in the application:*

**Listing of Claims:**

**Claim 1 (Currently Amended):** An image data generating apparatus comprising:  
    means for generating image data;  
    means for generating color space information ~~to be used in processing~~ designating color space conversion of said image data from an input color space to an output color space by an image processing apparatus; and  
    means for storing said image data in association with said color space information.

**Claim 2 (Original):** An image data generating apparatus according to Claim 1, further comprising:  
    means for designating color space information for use by said image processing apparatus; and  
    means for storing a plurality of items of color space information designated for different types of color spaces, wherein  
    said means for designating color space information includes  
        means for displaying said plurality of items of color space information, and  
        means for selecting one item of color space information from among said displayed items of color space information.

**Claim 3 (Original):** An image data generating apparatus according to Claim 1, further comprising:  
    means for designating color space information for use by said image processing apparatus; and  
    means for storing a plurality of combinations of identifying information for candidate image processing apparatuses and associated color space information for each candidate image processing apparatus; wherein  
    said means for designating color space information includes  
        means for displaying the candidate image processing apparatuses for performing image processing, and  
        means for selecting one of the candidate image processing apparatuses from among the candidate image processing apparatuses displayed by said means for displaying.

**Claim 4 (Original):** An image data generating apparatus according to Claim 1, further comprising:

means for assembling an output file that contains said image data, and said color space information.

**Claim 5 (Original):** An image data generating apparatus according to Claim 4, further comprising:

means for interfacing with an external device and for communicating said output file to said external device.

**Claim 6 (Original):** An image data generating apparatus comprising:

means for acquiring image data;

means for designating with color space information an output color space to be used by an image processing apparatus in color space conversion, said image processing apparatus being a different apparatus than said means for acquiring data; and

means for generating an image file containing  
image data obtained by said means for acquiring, and  
the color space information.

**Claim 7 (Original):** An image data generating apparatus according to Claim 6, wherein:

said output color space having a gamut that is at least as wide as a color space used in synthesis of said image data.

**Claim 8 (Currently Amended):** A method for generating an image file in an image data generating apparatus, comprising steps of:

generating image data;

generating an image file containing

image data generated in said generating step, and

color space information ~~to be used in processing~~ designating color space conversion of said image data from an input color space to an output color space by an image processing apparatus; and  
storing said image data in association with said color space information.

**Claim 9 (Original):** The method of Claim 8, further comprising steps of:

designating color space information for use by said image processing apparatus; and  
storing a plurality of items of color space information designated for different types of  
color spaces, wherein

said step of designating color space information includes steps of  
displaying said stored color space information, and  
selecting one item of color space information from among said displayed items  
of color space information.

**Claim 10 (Original):** The method of Claim 8, further comprising steps of:

designating color space information for use by said image processing apparatus; and  
storing a plurality of combinations of identifying information for candidate image  
processing apparatuses and associated color space information for each candidate image  
processing apparatus; wherein

said step of designating color space information includes  
displaying the candidate image processing apparatuses for performing image  
processing, and  
selecting one of the candidate image processing apparatuses from among the  
candidate image processing apparatuses displayed in said displaying step.

**Claim 11 (Original):** The method of Claim 8, further comprising a step of:

assembling an output file that contains said image data, and said color space  
information.

**Claim 12 (Original):** The method of Claim 11, further comprising a step of:

sending said output file to an external device via at least one of an electric signal and  
an electromagnetic signal.

**Claim 13 (Previously Presented):** A method for generating image data in an image data generating apparatus, comprising steps of:

- acquiring image data;
- designating with color space information an output color space to be used by an image processing apparatus in color space conversion, said image processing apparatus being a different apparatus than a apparatus employed to accomplish said acquiring step; and
- generating an image file containing
  - image data obtained by said acquiring step, and
  - the color space information.

**Claim 14 (Original):** The method of Claim 13, wherein:

- said output color space having a gamut that is at least as wide as a color space used in synthesis of said image data.

**Claim 15 (Currently Amended):** A propagated data signal for conveying image data and color space information to an image processing apparatus, said propagated data signal comprising:

- an image data file containing digital image data of a subject captured on an image data generating apparatus; and
- the color space information, the color space information designating color space conversion of said image data from an input color space to an output color space, said and the color space information being associated with an image processing apparatus that performs a color space conversion on said image data in said image processing apparatus.

**Claim 16 (Original):** The propagated data signal of Claim 15, wherein:

- said image data file and said color space information being included as part of an Exif file that is embodied in said propagated data signal.

**Claim 17 (Currently Amended):** An image data generating apparatus comprising:  
an image data generation mechanism configured to generate image data;  
an image file assembly mechanism configured to assemble an image file containing image data generated by said image data generation mechanism, and color space information ~~to be used in processing~~ designating color space conversion of said image data from an input color space to an output color space by an independent image processing apparatus; and  
a memory configured to store said image data in association with said color space information.

**Claim 18 (Previously Presented):** An image data generating apparatus according to Claim 17, wherein:  
said color space information includes matrix values for use in color space conversion processing to be executed by said independent image processing apparatus.

**Claim 19 (Previously Presented):** An image data generating apparatus according to Claim 17, further comprising:  
a designation mechanism configured to designate color space information for use by said independent image processing apparatus, wherein  
said memory configured to hold a plurality of color space information entries, each containing color space information associated with different candidate image processing apparatuses,  
said designation mechanism includes  
a display that is configured to display said plurality of entries of color space information, and  
a selection mechanism that is configured to select one of said plurality of entries of color space information from among the plurality of entries presented by said display.

**Claim 20 (Previously Presented):** An image data generating apparatus according to Claim 17, further comprising:

a designation mechanism configured to designate color space information for use by said independent image processing apparatus, wherein

said memory is configured to hold a plurality of combinations of identifying information for candidate image processing apparatuses and associated color space information for each candidate image processing apparatus, wherein

said designation mechanism includes

a display configured to display the candidate image processing apparatuses for performing image processing, and

a selection mechanism configured to select one of the candidate image processing apparatuses from among the candidate image processing apparatuses presented by said display.

**Claim 21 (Previously Presented):** An image data generating apparatus according to Claim 17, wherein:

the image data generating apparatus is at least one of a DSC, a DVC, and a scanning device.

**Claim 22 (Previously Presented):** An image data generating apparatus according to Claim 21, wherein:

the image data generating apparatus is the DSC.

**Claim 23 (Original):** An image data generating apparatus according to Claim 17, further comprising:

a file assembly mechanism configured to compile an output file that contains said image data, and said color space information.

**Claim 24 (Currently Amended):** An image data generating apparatus according to Claim 23, wherein:

said output file ~~being~~ is an Exif file.

**Claim 25 (Currently Amended):** An image data generating apparatus according to Claim 24, wherein:

the color space information ~~being~~ is a tag stored in a Makernote portion of the Exif file.

**Claim 26 (Original):** An image data generating apparatus according to Claim 17, wherein:  
said memory includes a removable memory card.

**Claim 27 (Original):** An image data generating apparatus according to Claim 23, further comprising:

an I/O interface configured to transmit said output file as at least one of an electric signal and an electromagnetic signal.

**Claim 28 (Previously Presented):** An image data generating apparatus comprising:

an image file acquisition mechanism configured to acquire image data;  
a designation mechanism configured to designate an output color space to be used by an independent image processing apparatus in color space conversion of said image data, said independent image processing apparatus being a different apparatus than said image file acquisition mechanism; and

a file assembly mechanism configured to assemble an image file containing  
image data obtained by said image file acquisition mechanism, and  
the color space information.

**Claim 29 (Currently Amended):** An image data generating apparatus according to Claim 28, wherein:

said output color space ~~having~~ has a gamut that is at least as wide as a color space used in synthesis of said image data.

**Claim 30 (Currently Amended):** A computer program product, comprising:

- a computer storage medium; and
- a computer program code mechanism embedded in the computer storage medium for causing a computer to generate an image file, the computer program code mechanism having a first computer code device configured to generate image data, and
- a second computer code device configured to generate an image file containing said generated image data, together with associated color space information designating color space conversion of said image data from an input color space to an output color space for use by an independent image processing apparatus.

**Claim 31 (Previously Presented):** The computer program product of Claim 30, further comprising:

- a third computer code device configured to designate color space information for use by said independent image processing apparatus, wherein
- said computer storage medium configured to hold a plurality of color space information entries, each containing color space information associated with different candidate image processing apparatuses,
- the third computer code device including
  - a display mechanism that is configured to provide a signal output suitable for presentation on a display so as to present said plurality of entries of color space information, and
  - a selection mechanism that is configured to select one of said plurality of entries of color space information from among the plurality of entries presented by said display.

**Claim 32 (Previously Presented):** The computer program product of Claim 30, further comprising:

- a third computer code device configured to designate color space information for use by said independent image processing apparatus, wherein

- said computer storage medium configured to hold a plurality of combinations of identifying information for candidate image processing apparatuses and associated color space information for each candidate image processing apparatus, wherein

- said designation mechanism includes

- the third computer code device including

- a display mechanism that is configured to provide a signal output suitable for presentation on a display so as to present the candidate image processing apparatuses for performing image processing, and

- a selection mechanism that is configured to select one of the candidate image processing apparatuses from among the candidate image processing apparatuses presented by said display.

**Claim 33 (Original):** The computer program product of Claim 30, further comprising:

- a third computer code device configured to compile an output file that contains said image data, and said color space information.

**Claim 34 (Previously Presented):** A computer program product, comprising:

- a computer storage medium; and

- a computer program code mechanism embedded in the computer storage medium for causing a computer to acquire image data, the computer program code mechanism having a first computer code device configured to implement an image file acquisition mechanism configured to acquire image data,

- a second computer code device configured to implement a designation mechanism configured to designate an output color space to be used by an independent image processing apparatus in color space conversion of said image data, said independent image processing apparatus being a different apparatus than said image file acquisition mechanism; and

- a third computer code device configured to implement a file assembly mechanism configured to assemble an image file containing

- image data obtained by said image file acquisition mechanism, and
    - the color space information.

**Claim 35 (Original):** The computer program product of Claim 34, wherein:

said output color space having a gamut that is at least as wide as a color space used in synthesis of said image data.

**Claim 36 (Currently Amended):** A computer program product, comprising:

a computer storage medium; and

a computer program code mechanism embedded in the computer storage medium for causing a computer to acquire an image file, the computer program code mechanism having a first computer code device configured to implement an image file data acquisition mechanism that retrieves ~~said~~ color space information designating color space conversion of said image data from an input color space to an output color space from said image file; and

a second computer code device configured to implement a color conversion processing mechanism that converts the color space of said image data from the input color space to the output color space on the basis of said color space information when said color space information has been retrieved.

**Claim 37 (Original):** The computer program product of Claim 36, wherein:

if said color space information is not retrieved, said color conversion processing mechanism converts the color space of said image data using predetermined color space information.

**Claim 38 (Currently Amended):** An image processing apparatus for performing image processing on image files containing image data and color space information, said image data and said color space information being input from an independent image data generating apparatus, comprising:

means for acquiring an image file containing image data;

means for retrieving said color space information from said image file acquired by said means for acquiring, wherein said color space information designates a color space conversion of said image data from an input color space to an output color space; and

means for converting the color space of said image data based on said color space information retrieved by said means for retrieving.

**Claim 39 (Original):** An image processing apparatus according to Claim 38, wherein:  
if said color space information is not retrieved, said means for converting the color space converts the color space of said image data based on predetermined color space information.

**Claim 40 (Original):** An image processing apparatus according to Claim 38, wherein:  
said image data contained in said image file is represented by a first color space;  
said means for acquiring an image file converts the color space of the image data contained in said image file from said first color space to a second color space; and  
said means for converting the color space converts the color space of said image data from said second color space to a third color space.

**Claim 41 (Original):** An image processing apparatus according to Claim 40, wherein:  
said first color space is a YCbCr color space;  
said second color space is a first RGB color space; and  
said third color space is a second RGB color space wherein at least a portion thereof has a gamut equal to or wider than said first color space.

**Claim 42 (Original):** An image processing apparatus according to Claim 41, wherein:  
said second color space has a width at least equal to that of a color space during synthesis of said image data.

**Claim 43 (Currently Amended):** A method for performing image processing on image files containing image data and color space information, said image data and said color space information being input from an independent image data generating apparatus, comprising steps of:

acquiring an image file containing image data;  
retrieving said color space information from said image file acquired in said acquiring step, said color space information designating color space conversion of said image data from an input color space to an output color space; and  
converting the color space of said image data from the input color space to the output color space based on said color space information retrieved in said retrieving step.

**Claim 44 (Original):** The method of Claim 43, further comprising:

determining when said color space information is not retrieved, and then converting the color space of said image data based on predetermined color space information.

**Claim 45 (Currently Amended):** An image processing apparatus for performing image processing on image files containing image data and color space information, said image data and said color space information being input from an independent image data generating apparatus, comprising:

an image file acquisition mechanism configured to acquire an image file containing image data;

a color space retrieving mechanism configured to retrieve said color space information from said image file acquired by said image file acquisition mechanism, said color space information designating color space conversion of said image data from an input color space to an output color space; and

a color space converter configured to convert the color space of said image data from the input color space to the output color space based on said color space information retrieved by said color space retrieving mechanism.

**Claim 46 (Original):** An image processing apparatus according to Claim 45, wherein:

if said color space information is not retrieved, color space converter converts the color space of said image data based on predetermined color space information.

**Claim 47 (Original):** An image processing apparatus according to Claim 45, wherein:

said image data contained in said image file is represented by a first color space;  
said image file acquisition mechanism converts the color space of the image data contained in said image file from said first color space to a second color space; and  
said color space converter converts the color space of said image data from said second color space to a third color space.

**Claim 48 (Original):** An image processing apparatus according to Claim 47, wherein:  
said first color space is a YCbCr color space;  
said second color space is a first RGB color space; and  
said third color space is a second RGB color space wherein at least a portion thereof  
has a gamut equal to or wider than the first RGB color space.

**Claim 49 (Original):** An image processing apparatus according to Claim 48, wherein:  
said second color space has a width at least equal to that of a color space during  
synthesis of said image data.

**Claim 50 (Original):** An image processing apparatus according to Claim 48, wherein:  
said third color space is a CIELAB color space in place of the second RGB color  
space.

**Claim 51 (Original):** An image processing apparatus according to Claim 45, further  
comprising:  
an I/O device configured to transmit said image data after being converted into a color  
space defined by said color space information as at least one of an electric signal and an  
electromagnetic signal.

**Claim 52 (Currently Amended):** A system for processing image data comprising:  
an image data generating apparatus, including  
    means for generating image data,  
    means for generating an image file containing  
        image data generated by said means for generating, and  
        color space information ~~to be used in processing~~ designating color  
        space conversion of said image data from an input color space to an output  
        color space by an image processing apparatus, and  
    means for storing said image data in association with said color space  
information in an image file; and  
the image processing apparatus, including  
    means for acquiring the image file containing the image data and the color  
space information,  
    means for retrieving said color space information from said image file, and  
    means for converting the color space of said image data based on said color  
space information retrieved by said means for retrieving.

**Claim 53 (Original):** A system for processing image data comprising:  
an image data generating apparatus, including,  
    means for acquiring image data,  
    means for designating with color space information an output color space to be  
used by an image processing apparatus in color space conversion, said image  
processing apparatus being a different apparatus than said means for acquiring, and  
    means for generating an image file containing  
        image data obtained by said means for acquiring, and  
        the color space information; and  
the image processing apparatus, including,  
    means for acquiring the image file,  
    means for retrieving said color space information from said image file  
acquired by said means for acquiring, and  
    means for converting the color space of said image data based on said color  
space information retrieved by said means for retrieving.

**Claim 54 (Currently Amended):** A method for processing image data, comprising steps of:

- (a) generating image data;
  - (b) generating an image file containing  
image data generated in said generating step, and  
color space information ~~to be used in processing~~ designating color space  
conversion of said image data from an input color space to an output color space by an  
independent image processing apparatus;
  - (c) storing said image data in an output image file in association with said color space  
information;
  - (d) acquiring the output image file containing image data;
  - (e) retrieving said color space information from said output image file acquired in said  
acquiring step; and
  - (f) converting the color space of said image data based on said color space information  
retrieved in said retrieving step,
- wherein steps (a), (b), and (c) are implemented by an image data generating apparatus and  
steps (d), (e), and (f) are implemented by said independent image processing apparatus.

**Claim 55 (Currently Amended):** An image processing system, comprising:

an image data generating apparatus, including,

- an image data generation mechanism configured to generate image data,
- an image file assembly mechanism configured to assemble an image file containing image data generated by said image data generating apparatus, and color space information ~~to be used in processing~~ designating color space conversion of said image data from an input color space to an output color space by an image processing apparatus,
- a memory configured to store said image data in an output image file in association with said color space information; and

the image processing apparatus including

- an image file acquisition mechanism configured to acquire the output image file containing image data,
- a color space retrieving mechanism configured to retrieve said color space information from said output image file acquired by said image file acquisition mechanism, and
- a color space converter configured to convert the color space of said image data from the input color space to the output color space based on said color space information retrieved by said color space retrieving mechanism.

**Claim 56 (Original):** An image processing system comprising:

an image data generating apparatus, including

an image file acquisition mechanism configured to acquire image data;

a designation mechanism configured to designate an output color space to be used by an image processing apparatus in color space conversion of said image data, said image processing apparatus being a different apparatus than said image file acquisition mechanism, and

a file assembly mechanism configured to assemble an image file containing image data obtained by said image file acquisition mechanism, and the color space information; and

the image processing apparatus including

an image file acquisition mechanism configured to acquire the image file,

a color space retrieving mechanism configured to retrieve said color space information from said image file, and

a color space converter configured to convert the color space of said image data based on said color space information retrieved by said color space retrieving mechanism.